

TEST REPORT

No. : SZIN1907010842ML

Date : Aug 07, 2019

Page: 1 of 8



CUSTOMER NAME: EASTWISE
ADDRESS: ROOM 1606, CENTRAL TOWER, NO.88, FUHUA FIRST ROAD,
FUTIAN DISTRICT, SHENZHEN CITY, GUANGDONG PROVINCE,
CHINA

Sample Name : TRASH BIN
Buyer : MANUTAN

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Jul 25, 2019
Testing Start Date : Jul 25, 2019
Testing End Date : Aug 07, 2019
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. Shenzhen Branch
Testing Center



Peter_Lau
Authorized signatory



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center - Materials Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江源工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com

TEST REPORT

No. : SZIN1907010842ML

Date : Aug 07, 2019

Page: 2 of 8

Summary of Results:

No.	Test Item	Test Method	Result
1	Neutral salt spray test (NSS)	ISO 9227:2017	See test result

Original Sample Photo:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC 检验检测专用章
Shenzhen Branch Testing Center - Materials Laboratory

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江源工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com

TEST REPORT

No. : SZIN1907010842ML

Date : Aug 07, 2019

Page: 3 of 8

Neutral Salt Spray Test (NSS):

Test Method: ISO 9227-2017

Concentration of solution collected: (50±5) g/L NaCl

Chamber temperature: (35±2)°C

Volume of salt solution collected: 1~2mL /(80cm²·h)

pH of collected solution at (25±2)°C: 6.5~7.2

Exposure period: 240h

Test result(s):

Sample		Exposure period	Appearance rating	General level
1	#1	72h	10	10
	#2	72h	10	
	#3	72h	10	
1	#1	96h	9	9
	#2	96h	10	
	#3	96h	10	
1	#1	120h	9	9
	#2	120h	10	
	#3	120h	9	
1	#1	144h	9	9
	#2	144h	9	
	#3	144h	9	
1	#1	168h	9	9
	#2	168h	9	
	#3	168h	9	
1	#1	240h	5	5
	#2	240h	8	
	#3	240h	5	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghai Industrial Park, No. 430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江湾工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com

TEST REPORT

No. : SZIN1907010842ML

Date : Aug 07, 2019

Page: 4 of 8

Note: Appearance rating refers to EN ISO 10289:2001, as follows:

Area of defects, A (%)	Rating
0(No defects)	10
$0 < A \leq 0.1$	9
$0.1 < A \leq 0.25$	8
$0.25 < A \leq 0.5$	7
$0.5 < A \leq 1.0$	6
$1.0 < A \leq 2.5$	5
$2.5 < A \leq 5.0$	4
$5.0 < A \leq 10$	3
$10 < A \leq 25$	2
$25 < A \leq 50$	1
$50 < A$	0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江源工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com




TEST REPORT

No. : SZIN1907010842ML

Date : Aug 07, 2019

Page: 5 of 8

Neutral Salt Spray Test Photos:



 Reference sample Tested sample-72h	 Reference sample Tested sample-96h
 Tested sample-96h-#1 (Local Part)	 Reference sample Tested sample-120h

TEST REPORT

No. : SZIN1907010842ML

Date : Aug 07, 2019

Page: 6 of 8

	
Tested sample-120h-#1 (Local Part)	Tested sample-120h-#3 (Local Part)
	
Reference sample Tested sample-144h	Tested sample-144h-#1 (Local Part)

TEST REPORT


No. : SZIN1907010842ML

Date : Aug 07, 2019


Page: 7 of 8



Tested sample-144h-#2 (Local Part)



Tested sample-144h-#3 (Local Part)



Reference sample

Tested sample-168h






Tested sample-168h-#1 (Local Part)

TEST REPORT

No. : SZIN1907010842ML

Date : Aug 07, 2019

Page: 8 of 8

	
Tested sample-168h-#2 (Local Part)	Tested sample-168h-#3 (Local Part)
	
Reference sample	Tested sample-240h
	
Tested sample-240h-#2	Tested sample-240h-#3

***** End of report*****