

746 Check 'n' Roll™ 3 mm

Industrial checker plate surface profile runner

Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring 746 Check 'n' Roll™ 3 mm

Ideal flooring for factory and warehouse premises or any kind of industrial applications to protect floors and materials. Withstands diluted acids and alkalis.

- NR-SBR Rubber
- Industrial checker plate surface profile

Recommended use


- Dry Areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
- Light duty

Colors:

- Black
- Grey

Sizes

- 140cm x linm
- 140cm x 10m













Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring Check 'n' Roll™ 3 mm

General

Brand	Notrax
Category	Runners & Flooring
Product Number	746
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Check 'n' Roll™ 3 mm
Recommended use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Туре	Runners - Non-directional
Update trigger	20210310-1301
Usage Intensity	Light duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).	
Recycled	True	
Sustainability	Recyclable material	
Warranty	1	

Tests

Abrasion Resistance 1000	300 - 500m³ @ 5000 cycles	
Elongation	200% ≤ 350%	
Hardness	70 Shore A	
Surface Flammability	Pass	
Tear Strength	5 N/mm² (Grey)	

Technical Specifications

Application	Industrial Environments	
Edges	No borders	
Material Group	Rubber	
Process	Calendering	
Temperature Range	- 40 ° C up to + 120 ° C	

Check 'n' Roll™ 3 mm Grey

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
746R0140GY	140cm x 10m	67.8	3
746C0140GY	140cm x linm	5.16	3

Check 'n' Roll™ 3 mm Black

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
746R0140BL	140cm x 10m	51.6	3
746C0140BL	140cm x linm	5.16	3