



Product Specification



Vendor : Longkong

Date: 16-Sep-17

Updated on 2017-09-22

updated on 2020/2/11

Pictures & Description



Manutan Czech code: 1132160, 1132161, 1132162

Supplier code:SK3069B01

Description: office chair

Overall size(mm): W620-640x655x960-1060mm

Weight:16.05kgs

Mesh Back

Material of shell and support: Plywood
 Color: Black, blue, grey
 Fabric color: black(DW32), grey(DW33), blue(DW30)
 Fabric feature : Fire retardant
 Dimension(mm) L690xW490xT60mm
 Foam density: PU moulded foam 50 kg/m3



Seat

Material of shell: Plywood
 Color: Black
 Fabric Color: Black(DW32)
 Foam density: Block foam 35kgs/m3
 Fabric feature : Fire retardant
 Foam feature Fire retardant
 Dimension : L510xW500xT70mm
 Seat Height(mm): Adjustable height 425~520mm



Armrest

Material: PP
 Finish: PP in silver coating
 Feature: adjustable
 Color: Silver/black
 Feature: Adjustable height 75mm
 Armrest size: W245 x D75 x H305mm
 Height between ground and armrest (with seat at its lowest position): 615~690mm
 Height between ground and armrest (with seat at its highest position): 710~785mm



Mechanism

Material: Metal
 Color: Black
 Feature: Synchronous contact, multi position locking



Gas lift

Material: Metal
 Description: 100mm lift
 Brand: Lant Class 3



Base

Material: Metal
 Color: Chromed
 Dimension: R350mm
 Style: 5-spoke base



Caster

Material: Nylon
 Color: Black
 Qty: 5 pcs , dual roller wheels
 Caster Dia : 60mm



Loading capacity

Max. loading capacity 120kg

Sitting time

Maintains optimal posture for 8 hours

Key Factors

1. Passed EN 1335 , EN 1021 Test ,with GS certificates
2. All mechanism works well, no noise when making adjustment or in use

Manual

SK3069B01 1132130_ma_multilang(new).pdf



Shipping marks





Packing



The foam of seat shall be closed to the carton

1 set in a master carton