

## **Product Specification**



Updated on 2017-05-16 Updated on 2017-07-18

Manutan AX No.: A158770
Manutan ITG No.: ITG2416772
Manutan BAAN No.: 92051896
Vendor Item No.: HF-100K Light grey

Description: Key box with 100 key hooks inside light grey

Overall size: L380 x W80 x H550mm

Weight: 6830g Color: Grey(Ral7005)



## **Key Parts Specification:**

Silkscreen
Size: 10\*2.576mm
Position: Bottom right

Color: White



Body Material: Steel Thickness: 1.3-1.4mm Color: Grev(Ral7005)

Dimension: L380 x W80 x H550mm

Finish: Powder coating Weight: 7810g



Locking System(Cylinder lock)

Material: Iron

Finish: Chromium plating



Hook plate(10 hooks\*10=100pcs)

Material: Steel Dimension: 30\*3.9cm Thickness: 0.7mm Finish: zinc plating



Key Tag(100pcs) Material: pp

Color: 20 pcs yellow, 20 pcs blue, 20 pcs red, 20 pcs green, 20 pcs black

Dimension: L50 x W22 x T3mm



Accessories

Screws(4pcs), Plastic Anchors(4pcs)



Color Reference Color: Grey(Ral7005)



### **Key Factors**

- 1. Tolerance for dimension: The overall size of case should be less then 1mm from actual dimension.
- 2. Surface Treatment: no visible rust points, free of flash, burrs and pits.
- 3. Door open and close easily,
- 4. The key can not open another box in one batch

5. Adhesion of powder coating tape test: Using grid test method, no peel off of coating found.



# Carton Specification

	Carton Dimension(cm)	Corrugate Board	Flutes	Strength (Bursting)	Joint	Style
Inner Carton	L39.5 x W9 x H56	single wall( 3 layer)	white box	7 kgf / cm <sup>2</sup>	Glue	RSC
Master Carton	L47 x W41 x H58	Double wall( 5 layer)	A, C	7 kgf / cm <sup>2</sup>	Glue	RSC



RSC carton

## Packaging method

1. PE bag+white box+label+ $\frac{5}{2}$ pcs in one brown double-corrugated carton+ $\frac{20}{2}$ CTN on one pallet

#### Pack Labels

please click on the sheet " shipping mark " and search its labels in the documents