

Form



Product Service

Data form for critical components and material information

Applicant name and address.....:	Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park Thanh Khuong, Thuan Thanh 16511 Bac Ninh VIETNAM
Manufacturer name and address ..:	Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park Thanh Khuong, Thuan Thanh 16511 Bac Ninh VIETNAM
Name and address of factory / factories.....:	Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park Thanh Khuong, Thuan Thanh 16511 Bac Ninh VIETNAM
Project-No./Report-No.:	70.435.24.138.01-00
Test item description	Pallet carts (Pallet Truck)
Model/Type reference	XTN 1.0T, XTN 1.2T, XTN 1.5T, XTN 1.7T, XTN 2.0T, XTN 2.5T
Device type	☐ component / ☐ sub-assembly / ☒ equipment / ☐ system

General product information and other remarks:	
Main label / Warning Markings:	See below:

Model	XTN 1.0T	Rated Capacity	1000kg
Fork Width	540	Fork Length	1150 mm
Dead weight without load		46	
Serial No./Year		00000000/2024	
Website:		www.ichimens.com.vn	
Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park, Thanh Khuong, Thuan Thanh, 16511, Bac Ninh, VIETNAM			

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China

Form



Product Service

Data form for critical components and material information

Model	XTN 1.2T	Rated Capacity	1200kg
Fork Width	540	Fork Length	1150 mm
Dead weight without load		46	
Serial No./Year		00000000/2024	
Website:		www.ichimens.com.vn	
Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park, Thanh Khuong, Thuan Thanh, 16511, Bac Ninh, VIETNAM			

Model	XTN 1.5T	Rated Capacity	1500kg
Fork Width	540	Fork Length	1150 mm
Dead weight without load		49	
Serial No./Year		00000000/2024	
Website:		www.ichimens.com.vn	
Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park, Thanh Khuong, Thuan Thanh, 16511, Bac Ninh, VIETNAM			

Model	XTN 1.7T	Rated Capacity	1700kg
Fork Width	540	Fork Length	1150 mm
Dead weight without load		49	
Serial No./Year		00000000/2024	
Website:		www.ichimens.com.vn	
Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park, Thanh Khuong, Thuan Thanh, 16511, Bac Ninh, VIETNAM			

Model	XTN 2.0T	Rated Capacity	2000kg
Fork Width	540	Fork Length	1150 mm
Dead weight without load		61	
Serial No./Year		00000000/2024	
Website:		www.ichimens.com.vn	

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China

Form




Product Service

Data form for critical components and material information

Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park, Thanh Khuong, Thuan Thanh,16511, Bac Ninh, VIETNAM	CE UK CA
---	-------------

Model	XTN 2.5T	Rated Capacity	2500kg
Fork Width	540	Fork Length	1150 mm
Dead weight without load	67		
Serial No./Year	00000000/2024		
Website:	www.ichimens.com.vn		
Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park, Thanh Khuong, Thuan Thanh,16511, Bac Ninh, VIETNAM	CE UK CA		



Warning !

For safe operation of this hand pallet truck, the user must read the manufacturers manual before using

1. User must follow all instructions of the safety rules.
2. Do not (1) operate this hand pallet truck until you have checked its condition (2) operate damaged or faulty trucks (3) attempt repairs unless you are trained and authorized to do so
3. User must keep hands and feet away from the area of loaded goods.
4. Ensure the load is balanced before being loaded up.
5. Never load more than the maximum capacity of this hand pallet truck.
6. Use this hand pallet truck on a flat / even surface only.
7. Do not carry passengers.
8. User must wear safety gloves and safety footwear when using this hand pallet truck.

Vietmachine Co., Ltd
Vietnam

Remark: Pallet truck shall be marked indelibly and legibly

The height of the CE mark shall be at least 5mm

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

Page 3 of 8

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China

Data form for critical components and material information

Description of model differences:	The technical data & parameter of XTN 1.0T is same as XTN 1.2T only excluding the opening pressure of safety valve is different, which leads to different rated load, the actual product will be according to client's requirement. The technical data & parameter of XTN 1.5T is same as XTN 1.7T only excluding the opening pressure of safety valve is different, which leads to different rated load, the actual product will be according to client's requirement.
Drawing(s) / Picture(s):	See below:



XTN 1.0T, XTN 1.2T



XTN 1.5T, XTN 1.7T

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

Page 4 of 8

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China

Data form for critical components and material information



XTN 2.0T



XTN 2.5T

Critical components and material information:

Model:	XTN 1.0T	XTN 1.2T
Rated capacity(kg):	1000	1200
Min height of fork(mm):	80	80
Stroke(mm):	120	120
Overall dimension when handle in vertical(mm):	1510×540×1210	1510×540×1210
Pump piston diameter(mm):	Ø18	Ø18
Working piston diameter(mm):	Ø28	Ø28
Net weight(kg):	46	46
Fork:		

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China

Data form for critical components and material information

Dimension(mm): (Length×Width×Thickness)	1150×120×2	1150×120×2
Material:	Q235B	Q235B
Fork wheel:		
Dimension (mm):	Ø80×55	Ø80×55
Number of wheel:	2	2
Material:	PU+Steel	PU+Steel
Steering wheel:		
Dimension (mm):	Ø180×50	Ø180×50
Number of wheel:	2	2
Material:	PU+Steel	PU+Steel

Model:	XTN 1.5T	XTN 1.7T
Rated capacity(kg):	1500	1700
Min height of fork(mm):	80	80
Stroke(mm):	120	120
Overall dimension when handle in vertical(mm):	1510×540×1210	1510×540×1210
Pump piston diameter(mm):	Ø18	Ø18
Working piston diameter(mm):	Ø28	Ø28
Net weight(kg):	49	49
Fork:		
Dimension(mm): (Length×Width×Thickness)	1150×120×2	1150×120×2
Material:	Q235B	Q235B
Fork wheel:		
Dimension (mm):	Ø80×55	Ø80×55
Number of wheel:	2	2
Material:	PU+Steel	PU+Steel
Steering wheel:		
Dimension (mm):	Ø180×50	Ø180×50
Number of wheel:	2	2

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China

Form



Product Service

Data form for critical components and material information

Material:	PU+Steel	PU+Steel
-----------	----------	----------

Model:	XTN 2.0T	XTN 2.5T
Rated capacity(kg):	2000	2500
Min height of fork(mm):	80	80
Stroke(mm):	120	120
Overall dimension when handle in vertical(mm):	1510×540×1210	1510×540×1210
Pump piston diameter(mm):	Ø18	Ø18
Working piston diameter(mm):	Ø32	Ø32
Net weight(kg):	61	67
Fork:		
Dimension(mm): (Length×Width×Thickness)	1150×120×3	1150×153×3
Material:	Q235B	Q235B
Fork wheel:		
Dimension (mm):	Ø70×50	Ø80×70
Number of wheel:	4	4
Material:	PU+Steel	PU+Steel
Steering wheel:		
Dimension (mm):	Ø180×50	Ø180×50
Number of wheel:	2	2
Material:	PU+Steel	PU+Steel

Routine Test (Safety, Security, ...):

☐ N/A, ☐ No requirement in standard, ☐ Non certification mark project

Model/Type reference:	Tests performed (name of test and test clause):	Test Details:	Test Points:	Test Values:
-----------------------	---	---------------	--------------	--------------

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

Page 7 of 8

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China

Form



Product Service

Data form for critical components and material information

Model/Type reference:	Tests performed (name of test and test clause):	Test Details:	Test Points:	Test Values:
All models	EN ISO 3691-5:2015/A1:2020 Clause 5 Verification of safety requirements and/or protective measures	/	/	/

Test Report History:

Rev	Project No.	History
0	70.435.24.138.01-00	2024-09-27 Initial version.

Signature of the Certification Holder:

Name, seal and signature of Certificate Holder:	Vietmachine Producing and Trading Co., Ltd Plot VII.1, Plot VIII.3, Thuan Thanh 3 Industrial Park Thanh Khuong, Thuan Thanh 16511 Bac Ninh VIETNAM
Date:	

Project-No.: 70.435.24.138.01-00
Revision: 00
Date: 2024-09-27
Project handler: Hanming Zhang

Page 8 of 8

www.tuvsud.com



TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch
TÜV SÜD Group
Hardlines
3-13F, No.151 Heng Tong Road
Shanghai, 200 070
P.R. China