1067

WHITEFURZE LTD
BUSHILL HOUSE
BURNSALL ROAD,
CANLEY
COVENTRY
CV5 6BT
UNITED KINGDOM
Attn: Tracey Stone

Test Report No. BAN 268296/1c
Amending and superseding report BAN268296/1b
Issue Date: 9th August 2019

The following sample was submitted and identified by the client as:

Sample Name: 10L, 0.8L, 1.5L, 0.5 Food Storer, 4.5L, 0.5L, 2L Seal Tight, 54L Allstore - Storage Containers.

Sample Description: Plastic storage and food containers with different coloured lids - green, red, white and opaque.

Sample Reference: Please refer to page 2.

Sample Received: 22nd May 2019

Testing Period: Testing conducted between 31st May 2019 and 11th June 2019

Testing Requested: Overall migration in accordance with the requirements of the Plastic Materials and Articles in Contact with Food Commission Regulation (EU) No. 10/2011 following Methods BSEN 1186-1:2002, BSEN 1186-3:2002 and BSEN 1186-14:2002.

Test Requirement: The Regulations require that no plastic material shall be capable of transferring its constituents to food with which it may come into contact in quantities exceeding the appropriate limit. For the material the appropriate limit is 10 mg/dm².

Results: Please refer to the Appendix

Conclusion: The migration from the material was less than the maximum permitted by the Regulations.

Signed for and on behalf of
SGS United Kingdom Ltd

Tracey McKenna BSc (Hons)
Chemistry Manager

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

Sample reference:

F0130	0.1L RND FOOD WH(40)	Polypropylene base/ Polyethylene Lid
F0150	0.25L RND FOOD WH 40	Polypropylene base/ Polyethylene Lid
F0170	0.5L RND FOOD WH(40)	Polypropylene base/ Polyethylene Lid
F017B5WM	0.5L RND FOOD BL 32	Polypropylene base/ Polyethylene Lid
F017BD5WM	0.5L RND FOOD BL 16	Polypropylene base/ Polyethylene Lid
F017DGWM	0.5L RND FOOD GR 16	Polypropylene base/ Polyethylene Lid
F017GWM	0.5L RND FOOD GR 32	Polypropylene base/ Polyethylene Lid
F0180	1.0L RND FOOD WH(30)	Polypropylene base/ Polyethylene Lid
F0190	2.0L RND FOOD WH(20)	Polypropylene base/ Polyethylene Lid
F0190PD	2.0L RND FD WH(20) P	Polypropylene base/ Polyethylene Lid
F0230	2.5LT TWIN FOOD WH10	Polypropylene base/ Polyethylene Lid
F0231IS	2.5LT TWIN FOOD 6	Polypropylene base/ Polyethylene Lid
F0410	0.8LT FOOD ST BOX 40	Polypropylene base/ Polyethylene Lid
F0413	0.8L REC FD GREEN 40	Polypropylene base/ Polyethylene Lid
F041B5WM	0.8LT FOOD ST BOX 16	Polypropylene base/ Polyethylene Lid
F041GWM	0.8LT FOOD ST BOX 16	Polypropylene base/ Polyethylene Lid
F041NSRPWM	0.8L FOOD NAT WM 16	Polypropylene base/ Polyethylene Lid
F041R	0.8L FOOD BOX RED 40	Polypropylene base/ Polyethylene Lid
F0420	1.5LT FOOD ST BX(30)	Polypropylene base/ Polyethylene Lid
F0420DGWM	1.5LT FOOD ST BX 12	Polypropylene base/ Polyethylene Lid
F0420GWM	1.5LT FOOD ST BX 16	Polypropylene base/ Polyethylene Lid
F0423	1.5L REC FD GREEN 30	Polypropylene base/ Polyethylene Lid
F042B5WM	1.5LT FOOD ST BX 16	Polypropylene base/ Polyethylene Lid
F042BD5WM	1.5LT FOOD ST BX 12	Polypropylene base/ Polyethylene Lid
F042BRPWM	1.5LT FOOD ST BX(30)	Polypropylene base/ Polyethylene Lid
F042R	1.5L FOOD ST RED 30	Polypropylene base/ Polyethylene Lid
F042RRPWM	1.5LT FOOD ST BX(30)	Polypropylene base/ Polyethylene Lid
F0430	2LT FOOD ST BOX (20)	Polypropylene base/ Polyethylene Lid
F0430PD	2LT FOOD ST BOX (20)	Polypropylene base/ Polyethylene Lid
F0433WM	2LT FOOD GREEN LID 6	Polypropylene base/ Polyethylene Lid
F043BWM	2LT FOOD BLUE LID 6	Polypropylene base/ Polyethylene Lid
F043PWM	2LT FOOD PINK LID 6	Polypropylene base/ Polyethylene Lid
F0440	4LT FOOD STORE WH 10	Polypropylene base/ Polyethylene Lid
F0441WK	4L FOOD STORE NAT 10	Polypropylene base/ Polyethylene Lid
F0443	4L REC FD GREEN 10	Polypropylene base/ Polyethylene Lid
F044R	4L FOOD STORE RED 10	Polypropylene base/ Polyethylene Lid
F0450	10L FOOD STORE WH 10	Polypropylene base/ Polyethylene Lid
F0460	7LT FOOD STORE WH 10	Polypropylene base/ Polyethylene Lid
F0463	7L SQ FOOD GREEN 10	Polypropylene base/ Polyethylene Lid
F0468WM	7LT FOOD STORE BL 4	Polypropylene base/ Polyethylene Lid

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

F046B5WM	7LT FOOD STORE BL 4	Polypropylene base/ Polyethylene Lid
F046GWM	7LT FOOD STORE GR 4	Polypropylene base/ Polyethylene Lid
F046R	7L FOOD STORE RED 10	Polypropylene base/ Polyethylene Lid
F046XWM	7LT FOOD STORE WM 4	Polypropylene base/ Polyethylene Lid
F0470	3L FOOD STORE WH 10	Polypropylene base/ Polyethylene Lid
F047B5WM	3L FOOD STORE BL 12	Polypropylene base/ Polyethylene Lid
F047BD5WM	3L FOOD STORE BL 8	Polypropylene base/ Polyethylene Lid
F047BRPWM	3L FOOD STORE BLU WM	Polypropylene base/ Polyethylene Lid
F047DGWM	3L FOOD STORE GRN 8	Polypropylene base/ Polyethylene Lid
F047GWM	3L FOOD STORE GR 12	Polypropylene base/ Polyethylene Lid
F047NSRPWM	WM 3L FOOD STORE 12	Polypropylene base/ Polyethylene Lid
F047RRPWM	3L FOOD STORE RED WM	Polypropylene base/ Polyethylene Lid
F0500	3LT DRY FOOD WH 10	Polypropylene base/ Polyethylene Lid
F0500IS	3LT DRY FOOD WH 6	Polypropylene base/ Polyethylene Lid
F0501WK	3LT DRY FOOD NAT 10	Polypropylene base/ Polyethylene Lid
F0503	3L DRY FOOD GREEN 10	Polypropylene base/ Polyethylene Lid
F050R	MED DRY FOOD RED 10	Polypropylene base/ Polyethylene Lid
F0520	5LT DRY FOOD WH (10)	Polypropylene base/ Polyethylene Lid
F0521WK	5LT DRY FOOD NAT(10)	Polypropylene base/ Polyethylene Lid
F0601WK	0.125L SQ FOOD NAT12	Polypropylene base/ Polyethylene Lid
F0610	0.125L SQ FOOD WH 40	Polypropylene base/ Polyethylene Lid
F0630	0.6L SQ FOOD ST WH40	Polypropylene base/ Polyethylene Lid
F0640	1LT SQ FOOD ST WH 20	Polypropylene base/ Polyethylene Lid
F0650	1.6L SQ FOOD ST WH20	Polypropylene base/ Polyethylene Lid
F0660	2.3L SQ FOOD ST WH20	Polypropylene base/ Polyethylene Lid
F0710	2LT CANISTER WH(20)	Polypropylene base/ Polyethylene Lid
F0720	3LT CANISTER WH(20)	Polypropylene base/ Polyethylene Lid
F0720IS	3LT CANISTER WH (6)	Polypropylene base/ Polyethylene Lid
F0750	6LT CANISTER WH(10)	Polypropylene base/ Polyethylene Lid
F0751IS	6LT CANISTER WH(6)	Polypropylene base/ Polyethylene Lid
F0753	6L CANISTER GREEN 10	Polypropylene base/ Polyethylene Lid
F075QPW	6LT CANISTER AQU(10)	Polypropylene base/ Polyethylene Lid
F075R	6L CANISTER RED 10	Polypropylene base/ Polyethylene Lid
F0770	10L CANISTER WH(10)	Polypropylene base/ Polyethylene Lid
F0773	10L CANISTER GREEN10	Polypropylene base/ Polyethylene Lid
F077R	10L CANISTER RED 10	Polypropylene base/ Polyethylene Lid
F077RPW	10L PET FOOD CONT 10	Polypropylene base/ Polyethylene Lid
F08R0	ROUND CAKE BOX	Polypropylene base and lid
FO8S	SQUARE CAKE BOX	Polypropylene base and lid
FO8SR	RED SQUARE CAKE BOX	Polypropylene base and lid
F08RXRRA	RND CAKE BOX +2L RED	Polypropylene base and lid
F08SRSET	XMAS CAKE BOX SET	Polypropylene base and lid

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

F1110	0.19L RND F2M 20	Polypropylene base and lid
F1130	0.35L RND F2M 20	Polypropylene base and lid
F1150	0.5L RND F2M 20	Polypropylene base and lid
F1150DM	0.5L RND F2M 6 DM	Polypropylene base and lid
F1170	1.22L RND F2M 10	Polypropylene base and lid
F1170DM	1.22L RND F2M 6	Polypropylene base and lid
F1190	3.08L RND F2M 10	Polypropylene base and lid
F119SETAL	3.08L F2M SET AL	Polypropylene base and lid
F119SETWM	3.08L F2M SET WM	Polypropylene base and lid
F1210	0.37L SQ F2M 20	Polypropylene base and lid
F1230	0.42L SQ F2M 20	Polypropylene base and lid
F1310	0.4L RECT F2M 20	Polypropylene base and lid
F1330	1L RECT F2M 10	Polypropylene base and lid
F1330DM	1L RECT F2M 6 DM	Polypropylene base and lid
F1350	2.33L RECT F2M 10	Polypropylene base and lid
F135SET	2.33 1 0.4 F2M SET10	Polypropylene base and lid
H01L010	3.5PT MIXING JUG(20)	Polypropylene
H01L010WM	3.5PT MIXING JUG WM	Polypropylene
H01M010WM	2PT MIX JUG 20 WM	Polypropylene
H03J020	30 (7LT)MIX BOWL(20)	Polypropylene
H03L020	25.5(4LT)MIX BWL(20)	Polypropylene
H03M020	20CM(2.3L)MIX BWL-50	Polypropylene
H03M022WM	22 MIX BOWL WM 12	Polypropylene
H03S020	15CM(1L) MIX BWL-50	Polypropylene
H02203	ICE CUBE TRAY	Polypropylene
H04L030	18CM FUNNEL NAT(40)	Polypropylene
H04L030WK	18CM WLK FUNNEL 40	Polypropylene
H04M030	14CM FUNNEL NAT(40)	Polypropylene
H04M031WM	WM 14CM FUNNEL NAT 6	Polypropylene
H04S030	8CM FUNNEL NAT(40)	Polypropylene
H021010	2.0 LITRE PUDDING BOWL NATURAL	Polypropylene base and lid
H021020	1.2 LITRE PUDDING BOWL NATURAL	Polypropylene base and lid
H021030	0.6 LITRE PUDDING BOWL NATURAL	Polypropylene base and lid
H02COL0	COLANDER NATURAL 20	Polypropylene
H02COL0MS	COLANDER NAT 20 M&S	Polypropylene
H17302	COLANDER- SILVER(20)	Polypropylene
H17306	COLANDER BLACK (20)	Polypropylene
H17308	COLANDER- CREAM (20)	Polypropylene
H02PCL0	PLATE COVER NAT	Polypropylene
H15512	18CM STACKING BASKET SET OF 3	SILVER
H15514	18CM STACKING BASKET SET OF 3	WHITE

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

H15516	18CM STACKING BASKET SET OF 3	BLACK
H15516BM	18CM STACKING BASKET SET OF 3	BLACK
H15518	18CM STACKING BASKET SET OF 3	CREAM
H1551G	18CM STACKING BASKET SET OF 3	GREEN
H15700DM	35CM VEGETABLE RACK	NAT
H15702	35CM VEGETABLE RACK	SILVER
H15706	35CM VEGETABLE RACK	BLACK
H15708	35CM VEGETABLE RACK	CREAM
H1570G	35CM VEGETABLE RACK	GREEN
S20A001	0.1L ALLSTORE Silver Clamp	Polypropylene
S20A002	0.2L ALLSTORE Silver Clamp	Polypropylene
S20D003	0.3L ALLSTORE Silver Clamp	Polypropylene
S20D005	0.5L ALLSTORE Silver Clamp	Polypropylene
S20F006	0.55L ALLSTORE Silver Clamp	Polypropylene
S20F007	0.75L ALLSTORE Silver Clamp	Polypropylene
S20F008	0.8L ALLSTORE Silver Clamp	Polypropylene
S20F010	1L ALLSTORE Silver Clamp	Polypropylene
S20F013	1.3L ALLSTORE Silver Clamp	Polypropylene
S20F012	1.25L ALLSTORE Silver Clamp	Polypropylene
S20K023	2.3L ALLSTORE Silver Clamp	Polypropylene
S20F017	1.7L ALLSTORE Silver Clamp	Polypropylene
S20F022	2.2L ALLSTORE Silver Clamp	Polypropylene
S20F026	2.6L ALLSTORE Silver Clamp	Polypropylene
S20K050	5L ALLSTORE Silver Clamp	Polypropylene
S20M055	5.5L ALLSTORE Silver Clamp	Polypropylene
S20K058	5.8L ALLSTORE Silver Clamp	Polypropylene
S20K075	7.5L ALLSTORE Silver Clamp	Polypropylene
S20W090	9L ALLSTORE Silver Clamp	Polypropylene
S20M100	10L ALLSTORE Silver Clamp	Polypropylene
S20W120	12L ALLSTORE Silver Clamp	Polypropylene
S20M150	15L ALLSTORE Silver Clamp	Polypropylene
S20M185	18.5L ALLSTORE A4 Silver Clamp	Polypropylene
S20W240	24L ALLSTORE Silver Clamp	Polypropylene
S20M260	26L ALLSTORE Foolscap Silver Clamp	Polypropylene
S20W360	36L ALLSTORE Foolscap A4 Silver Clamp	Polypropylene
S20W370	37L ALLSTORE Silver Clamp	Polypropylene
S20W540	54L ALLSTORE A4 Silver Clamp	Polypropylene
S20M270	27L ALLSTORE Gift Wrap Silver Clamp	Polypropylene
S20W480	48L ALLSTORE Foolscap Silver Clamp	Polypropylene
S20W510	51L ALLSTORE Silver Clamp	Polypropylene
S20W700	70L ALLSTORE Silver Clamp	Polypropylene
S20W850	85L ALLSTORE Silver Clamp	Polypropylene

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

S20F008VW	0.8L ALLSTORE 10	Polypropylene
S20F010VW	1L ALLSTORE CLAMP 10	Polypropylene
S20F017LY	1.7L ALLSTORE 10	Polypropylene
S20F017VW	1.7L ALLSTORE CLAMP 10	Polypropylene
S20F022VW	2.2L ALLSTORE CLAMP 10	Polypropylene
S20F026AD	2.6L ALLSTORE 6	Polypropylene
S20F026LY	2.6L ALLSTORE 6	Polypropylene
S20F026VW	2.6L ALLSTORE CLAMP 6	Polypropylene
S20K023VW	2.3L ALLSTORE 10	Polypropylene
S20K050AD	5L ALLSTORE 3	Polypropylene
S20K050VW	120 5L ALLSTORE 3	Polypropylene
S20K058VW	122 5.8L ALLSTORE 5	Polypropylene
S20K075VW	7.5L ALLSTORE CLAMP 3	Polypropylene
S20M055LY	5.5L ALLSTORE 5	Polypropylene
S20M055MK	210503 5.5L ALLSTORE SILV CLAMP 5	Polypropylene
S20M055VW	121 5.5L ALLSTORE 5	Polypropylene
S20M05XTC	5.5L ALLSTORE & TRAY WITH MIXED CLAMPS	Polypropylene
S20M100AD	10L ALLSTORE 3	Polypropylene
S20M100LY	10L ALLSTORE	Polypropylene
S20M100MK	10L ALLSTORE SILVER CLAMP 3	Polypropylene
S20M100MP	10L ALLSTORE RED CLAMP	Polypropylene
S20M100TT	10L ALLSTORE RED CLAMP	Polypropylene
S20M100VW	123 10L ALLSTORE 3	Polypropylene
S20M10XTC	10L ALLSTORE PINK GLITTER TC	Polypropylene
S20M150AD	15L ALLSTORE	Polypropylene
S20M150LY	15L ALLSTORE 3	Polypropylene
S20M150VW	15L ALLSTORE CLAMP 3	Polypropylene
S20M185LY	18.5L ALLSTORE 1	Polypropylene
S20M185VW	18.5L ALLSTORE CLAMP	Polypropylene
S20M260LY	26L ALLSTORE 1	Polypropylene
S20M260VW	26L ALLSTORE CLAMP	Polypropylene
S20M400L	5.5L AND 10L ALLSTORE LID 10	Polypropylene
S20TRAY100	10L 5.5L ALLSTORE TRAY 5	Polypropylene
S20TRAY100VW	10L 5.5L ALLSTORE TRAY 5	Polypropylene
S20TRAY360	36L ALLSTORE TRAY 3	Polypropylene
S20TRAY360VW	36L ALLSTORE TRAY 3	Polypropylene
S20W090VW	9L ALLSTORE CLAMP 5	Polypropylene
S20W120VW	12L ALLSTORE CLAMP 5	Polypropylene
S20W240AD	24L ALLSTORE	Polypropylene
S20W240LY	24L ALLSTORE 1	Polypropylene
S20W240VW	24L ALLSTORE CLAMP 1	Polypropylene

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

S20W360L	24L AND 36L ALLSTORE LID 10	Polypropylene
S20W360LY	36L ALLSTORE	Polypropylene
S20W360MK	36L ALLSTORE SILVER CLAMP 1	Polypropylene
S20W360VW	124 36L ALLSTORE 1	Polypropylene
S20W36BLY	36L ALLSTORE BLACK 1	Polypropylene
S20W370VW	37L ALLSTORE CLAMP	Polypropylene
S20W480L	48L ALLSTORE LID 10	Polypropylene
S20W480LY	48L ALLSTORE 1	Polypropylene
S20W480VW	48L STACK STORE 1	Polypropylene
S20W510LY	51L ALLSTORE 1	Polypropylene
S20W510MK	51L ALLSTORE SILVER CLAMP	Polypropylene
S20W510VW	51L ALLSTORE CLAMP	Polypropylene
S20W540L	54L ALLSTORE LID 10	Polypropylene
S20W540LY	54L ALLSTORE 1	Polypropylene
S20W540VW	54L ALLSTORE CLAMP	Polypropylene
S20W700AD	70L ALLSTORE	Polypropylene
S20W700L	70L ALLSTORE LID 8	Polypropylene
S20W700LY	70L ALLSTORE 1	Polypropylene
S20W700VW	126 70L ALLSTORE 1	Polypropylene
S20W70BLY	70L ALLSTORE BLACK 1	Polypropylene
S20W850LY	85L ALLSTORE 1	Polypropylene
S20W850VW	85L ALLSTORE CLAMP 1	Polypropylene
S20W36G	36L XMAS DECO BOX	Polypropylene
S20W36DSG	36L XMAS DECO BOX	Polypropylene
S20D03XTC	0.3L ALLSTORE Pack	Polypropylene
S20K050X	5L ALLSTORE Pack 3	Polypropylene
S20M055XPK	5.5L Bundle box	Polypropylene
S20M10X	10L Mixed Clamp 2 pack	Polypropylene
F3C11G	0.3L RD SEAL GRN 20	Polypropylene/ lid rim is TPE
F3C11T	0.3L RD SEAL TEL 20	Polypropylene/ lid rim is TPE
F3C21G	0.5 RND SEAL T LIME	Polypropylene/ lid rim is TPE
F3C21T	0.5 RND SEAL T TEAL	Polypropylene/ lid rim is TPE
F3C21TDM	0.5 RND SEAL T TEAL	Polypropylene/ lid rim is TPE
F3C42G	1.2L RD SEAL L GR 20	Polypropylene/ lid rim is TPE
F3C42P	1.2L RD SEAL PINK 20	Polypropylene/ lid rim is TPE
F3C42T	1.2L RD SEAL TEAL 20	Polypropylene/ lid rim is TPE
F3C42TWM	1.2L RD SEAL 12 WM	Polypropylene/ lid rim is TPE
F3R12G	1.3 RCT SEAL T GREEN	Polypropylene/ lid rim is TPE
F3R12T	1.3 RCT SEAL T TEAL	Polypropylene/ lid rim is TPE
F3R12TDM	1.3 RCT SEAL T TEAL	Polypropylene/ lid rim is TPE
F3R22ALX	2L+1.3 RCT SEAL	Polypropylene/ lid rim is TPE
F3R22G	2L RCT SEAL GRN 10	Polypropylene/ lid rim is TPE

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

F3R22P	2L RCT SEAL PNK 10	Polypropylene/ lid rim is TPE
F3R22T	2L RCT SEAL TEAL 10	Polypropylene/ lid rim is TPE
F3R22TWM	2L RCT ST TEAL WM	Polypropylene/ lid rim is TPE
F3R2SET1AL	2L SEAL TIGHT SET AL	Polypropylene/ lid rim is TPE
F3R2SETAL	2L SEAL TIGHT SET AL	Polypropylene/ lid rim is TPE
F3R43G	3L RCT SEAL T GREEN	Polypropylene/ lid rim is TPE
F3R43T	3L RCT SEAL T TEAL	Polypropylene/ lid rim is TPE
F3R53G	4.5 RCT SEAL T GREEN	Polypropylene/ lid rim is TPE
F3R53GAL	4.5 RCT SEAL T	Polypropylene/ lid rim is TPE
F3R53T	4.5 RCT SEAL T TEAL	Polypropylene/ lid rim is TPE
F3R53TWM	4.5 RCT S T TEAL WM	Polypropylene/ lid rim is TPE
F3S21G	1.4L SQ SEAL T GREEN	Polypropylene/ lid rim is TPE
F3S21T	1.4L SQ SEAL T TEAL	Polypropylene/ lid rim is TPE
F3S21TDM	1.4L SQ SEAL T TEAL	Polypropylene/ lid rim is TPE
H03P20G	2L PREM MIX GRN 10	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P20T	2L PREM MIX TEAL 10	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P20THC	2L PREM MIX TEAL 5	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P20WM	2L PREM MIX 10 WM	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P35G	3.5L PREM MIX GRN 10	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P35T	3.5L PREM MX TEAL 10	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P60G	6L PREM MIX GRN 10	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P60T	6L PREM MIX TEAL 10	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P60THC	6L PREM MIX TEAL 5	Polypropylene with TPE base
(TPE base does	not come into contact with food).	
H03P60WM	6L PREM MIX WM 10	Polypropylene with TPE base
(TPE base does	not come into contact with food).	

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

APPENDIX

Results: Clear Plastic

Simulant	Conditions	Migration
3% Acetic Acid	0.5 hours at 70°C followed by 10 days at 40°C	0.7 mg/dm^2
95% Ethanol	0.5 hours at 60°C followed by 10 days at 40°C	1.9 mg/dm^2
Iso-octane	0.5 hours at 40°C followed by 10 days at 20°C	5.0 mg/dm^2

Results: Green Plastic

Simulant	Conditions	Migration
3% Acetic Acid	0.5 hours at 70°C followed by 10 days at 40°C	1.2 mg/dm^2
95% Ethanol	0.5 hours at 60°C followed by 10 days at 40°C	1.7 mg/dm^2
Iso-octane	0.5 hours at 40°C followed by 10 days at 20°C	1.8 mg/dm^2

Results: Opaque Plastic

Simulant	Conditions	Migration
3% Acetic Acid	0.5 hours at 70°C followed by 10 days at 40°C	0.3 mg/dm^2
95% Ethanol	0.5 hours at 60°C followed by 10 days at 40°C	1.3 mg/dm^2
Iso-octane	0.5 hours at 40°C followed by 10 days at 20°C	1.2 mg/dm^2

Results: Red Plastic

Simulant	Conditions	Migration
3% Acetic Acid	0.5 hours at 70°C followed by 10 days at 40°C	0.4 mg/dm^2
95% Ethanol	0.5 hours at 60°C followed by 10 days at 40°C	2.5 mg/dm^2
Iso-octane	0.5 hours at 40°C followed by 10 days at 20°C	3.7 mg/dm^2

Results: White Plastic

Simulant	Conditions	Migration
3% Acetic Acid	0.5 hours at 70°C followed by 10 days at 40°C	0.9 mg/dm^2
95% Ethanol	0.5 hours at 60°C followed by 10 days at 40°C	2.7 mg/dm^2
Iso-octane	0.5 hours at 40°C followed by 10 days at 20°C	1.8 mg/dm^2

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

SGS authenticate photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Tests denoted with an * have been subcontracted to another UKAS Approved Laboratory. Tests marked (Non UKAS Accredited) in this report/certificate are not included in the UKAS Accredited Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.